



# Produktkatalog Rostfritt

## ROSTFRIA STÅLSORTER

STÅLSORTER			KEMISK SAMMANSÄTTNING (typiska värden)						MEKANISKA VÄRDEN (typiska värden)				
EN	SS	ASTM	C	N	Cr	Ni	Mo	Övrigt	Rp0.2 MPa	Rp1.0 MPa	Rm MPa	A5 %	KV J
Ferrit													
1.4016	2320	430	0.04		16.5				>240		430-630	>20	
Martensit													
1.4021	2303	420	0.20		13.0				>450		650-850	>12	
1.4031	2304	420	0.30		12.5				>600		800-1000	>10	
1.4418	2387		0.03	0.04	16	5	1	Mn:0.8	>680		840-980	>14	>55
Duplex													
1.4362	2327	S32304	0.02	0.10	23	4.8	0.3		>400		630-800	>25	>60
1.4462	2377	S32205	0.02	0.17	22	5.7	3.1		>460		640-840	>25	>60
Austenit CrNi													
1.4310	2331	301	0.10	0.03	17	7							
1.4301	2333	304	0.04	0.05	18.1	8.3			>210	>250	520-720	>45	>60
1.4306	2352	304L	0.02	0.06	18.1	8.3			>200	>240	500-650	>45	>60
1.4541	2337	321	0.04	0.01	17.3	9.1		Ti:0.4	>200	>240	500-700	>40	>60
1.4305	2346	303	0.05	0.06	17.3	8.2		S:0.27	>190	>230	500-700	>35	
1.4306	2352	304L	0.02	0.04	18.2	10.1			>200	>240	500-650	>45	>60
Austenit CrNiMo													
1.4401	2347	316	0.04	0.04	17.2	10.2	2.1		>220	>260	520-670	>45	>60
1.4404	2348	316L	0.02	0.04	17.2	10.2	2.1		>220	>260	520-670	>45	>60
1.4436	2343	316	0.04	0.05	16.9	10.7	2.6		>220	>260	530-730	>40	>60
1.4432	2353	316L	0.02	0.05	16.9	10.7	2.6		>220	>260	520-670	>45	>60
1.4571	2350	316Ti	0.04	0.01	16.8	10.9	2.1	Ti:0.4	>220	>260	520-670	>40	>60
1.4435	2353	316L	0.02	0.06	17.3	12.6	2.6		>220	>260	520-670	>45	>60
1.4438	2367	317L	0.02	0.07	18.2	13.7	3.1		>220	>260	520-790	>40	>60
1.4539	2367	904L	0.01	0.06	20	25	4.3	Cu:1.5	>220	>260	520-720	>35	>60
	2378	S31254	0.01	0.20	20	18	6.1	Cu:0.7 Mn:0.5	>300	>340	650-850	>40	>60
Värmebeständig Austenit													
1.4818	2372	S30415	0.05	0.15	18.5	9.5		Ce:0.05 Mn:0.6 Si:1.3	>290	>330	600-800	>40	
1.4835	2368	S30815	0.09	0.17	21	11		Ce:0.05 Mn:0.6 Si:1.6	>310	>350	650-850	>40	
1.4845	2361	310S	0.05	0.04	25	20			>210	>250	500-700	>35	

# Våra produkter

## PLÅT

Kallvalsad .....	2
Ytbehandlad .....	3
Varmvalsad .....	4

## STÅNG

Plattstång.....	5
Rundstång.....	10
Vinkelstång.....	12
Fyrkantstång.....	14
Sexkantstång.....	14
U-stång.....	15
T-stång.....	15

## BALK

HEA .....	15
HEB .....	15
IPE.....	15

## RÖR

Kvadratiska .....	16
Rektangulära .....	17
Slipade/polerade .....	19
Svetsade .....	20
Mejeri.....	24
Hydraulik.....	24

## KALLVALSAD PLÅT

TJL MM	FORMAT MM	VIKT KG/ST	EN 1.4301 2B YTA	EN 1.4301 2B YTA PLASTAD	EN 1.4541 2B YTA	EN 1.4404 2B YTA	EN 1.4404 2B YTA PLASTAD	EN 1.4571 2B YTA
0,4	2000 x 1000	6,4	■					
0,5	2000 x 1000	8,0	■			■		
	2500 x 1250	12,5	■					
0,6	2000 x 1000	9,6	■			■		
	2500 x 1250	15,0	■					
0,7	2000 x 1000	11,2	■			■		
	2500 x 1250	17,5	■			■		
0,8	2000 x 1000	12,8	■			■		
	2500 x 1250	20,0	■			■		
	3000 x 1250	24,0	■					
	3000 x 1500	28,8	■					
0,9	2000 x 1000	14,4	■			■		
	2500 x 1250	22,5	■					
1,0	2000 x 1000	16,0	■	■		■	■	
	3000 x 1000	24,0	■					
	2500 x 1250	25,0	■	■	■	■	■	■
	3000 x 1250	30,0	■			■		
	3000 x 1500	36,0	■	■		■		■
1,25	2000 x 1000	20,0	■	■		■		
	3000 x 1000	30,0	■					
	2500 x 1250	31,3	■	■		■	■	
	3000 x 1250	37,5	■					
	3000 x 1500	45,0	■	■		■	■	
1,5	2000 x 1000	24,0	■	■		■	■	
	3000 x 1000	36,0	■					
	2500 x 1250	37,5	■	■	■	■	■	■
	3000 x 1250	45,0	■			■		
	3000 x 1500	54,0	■	■	■	■	■	■
	4000 x 2000	96,0	■	■				
2	2000 x 1000	32,0	■	■		■	■	■
	3000 x 1000	48,0	■					
	2500 x 1250	50,0	■	■	■	■	■	■
	3000 x 1250	60,0	■			■		
	3000 x 1500	72,0	■	■	■	■	■	■
	4000 x 2000	128	■	■		■	■	
2,5	2000 x 1000	40,0	■	■		■		
	2500 x 1250	62,5	■	■		■		
	3000 x 1250	75,0	■					
	3000 x 1500	90,0	■	■		■		
	4000 x 2000	160	■			■		
3	2000 x 1000	48,0	■	■		■	■	■
	3000 x 1000	72,0	■					
	2500 x 1250	75,0	■	■	■	■	■	■
	3000 x 1250	90,0	■			■		
	3000 x 1500	108	■	■	■	■	■	■
	4000 x 2000	192	■	■		■	■	
4	2000 x 1000	64,0	■			■		
	2500 x 1250	100	■	■	■	■		■
	3000 x 1500	144	■			■		■
	4000 x 2000	256	■			■		
5	2000 x 1000	80,0	■			■		
	2500 x 1250	125	■			■		■
	3000 x 1500	180	■		■	■		■
	4000 x 2000	320	■			■		
6	2000 x 1000	96,0	■			■		

■ = Lagermaterial

● = Leveranstid ca 1 vecka

## KALLVALSAD PLÅT

TJL MM	FORMAT MM	VIKT KG/ST	EN 1.4301 2B YTA	EN 1.4301 2B YTA PLASTAD	EN 1.4541 2B YTA	EN 1.4404 2B YTA	EN 1.4404 2B YTA PLASTAD	EN 1.4571 2B YTA
6	2500 x 1250	150	■			■		■
	3000 x 1500	216	■		■	■		■
	4000 x 2000	384	■			■		
8	3000 x 1500	288	■					

## YTBEHANDLAD PLÅT

TJL MM	FORMAT MM	VIKT KG/ ST	EN 1.4301 SLIPAD K.180 & PLASTAD	EN 1.4301 BORSTAD & PLASTAD	EN 1.4301 BLANKGLÖDGAD (BA) & PLASTAD	EN 1.4404 SLIPAD K.180 & PLASTAD
0,5	2000 x 1000	8,0			■	
0,6	2000 x 1000	9,6			■	
	2500 x 1250	15,0		■		
0,7	2000 x 1000	11,2	■		■	
	2500 x 1250	17,5	■			
0,8	2000 x 1000	12,8	■	■	■	
	2500 x 1250	20,0	■	■		
0,9	2000 x 1000	14,4	■			
	2500 x 1250	22,5	■			
1,0	2000 x 1000	16,0	■	■	■	
	3000 x 1000	24,0	■			
	2500 x 1250	25,0	■	■	■	
	3000 x 1250	30,0	■			
	3000 x 1500	36,0	■	■		■
1,25	2000 x 1000	20,0	■	■	■	
	3000 x 1000	30,0	■			
	2500 x 1250	31,3	■		■	
	3000 x 1250	37,5	■			
	3000 x 1500	45,0	■			
1,5	2000 x 1000	24,0	■	■		■
	2500 x 1250	37,5	■	■	■	■
	3000 x 1250	45,0	■			
	3000 x 1500	54,0	■	■		■
2	2000 x 1000	32,0	■	■		
	2500 x 1250	50,0	■	■	■	
	3000 x 1250	60,0	■			
	3000 x 1500	72,0	■			■
2,5	2000 x 1000	40,0	■			
	2500 x 1250	62,5	■			
3	2000 x 1000	48,0	■			
	2500 x 1250	75,0	■			
	3000 x 1500	108	■			

## VARMVALSAD PLÅT

TJL MM	FORMAT MM	VIKT KG/ST	EN 1.4301	EN 1.4404
3	2000 x 1000	48	■	
	2500 x 1250	75	■	
	3000 x 1500	108	■	
4	2000 x 1000	64	■	
	2500 x 1250	100	■	
	3000 x 1500	144	■	
5	2000 x 1000	80	■	
	2500 x 1250	125	■	
	3000 x 1500	180	■	■
	4000 x 2000	320	■	■
6	2000 x 1000	96	■	■
	2500 x 1250	150	■	■
	3000 x 1500	216	■	■
	4000 x 2000	384	■	■
8	2000 x 1000	128	■	■
	2500 x 1250	200	■	■
	3000 x 1500	288	■	■
	4000 x 2000	512	■	■
10	2000 x 1000	160	■	■
	2500 x 1250	250	■	■
	3000 x 1500	360	■	■
	4000 x 2000	640	■	■
12	2000 x 1000	192	■	■
	2500 x 1250	300	■	■
	3000 x 1500	432	■	■
	4000 x 2000	768	■	■
15	2000 x 1000	240	■	■
	2500 x 1250	375	■	■
	3000 x 1500	540	■	■
	4000 x 2000	960	■	■
20	2000 x 1000	320	■	■
	2500 x 1250	500	■	■
	3000 x 1500	720	■	■
	4000 x 2000	1280	■	■
25	2000 x 1000	400	■	■
	2500 x 1250	625	■	■
	3000 x 1500	900	■	■
	4000 x 2000	1600	■	■
30	2000 x 1000	480	■	■
	3000 x 1500	1080	■	■
	4000 x 2000	1920	■	■
35	3000 x 1500	1260	■	■
40	3000 x 1500	1440	■	■
	4000 x 2000	2560	■	■
45	3000 x 1500	1620	■	■
50	3000 x 1500	1800	■	■

## VÄRMEBESTÄNDIG PLÅT

TJL MM	FORMAT MM	VIKT KG/ST	EN 1.4835 253 MA
1,5	2500 x 1250	37,5	■
2	2500 x 1250	50	■
	3000 x 1500	72	■
3	2000 x 1000	48	■
	2500 x 1250	75	■
	3000 x 1500	108	■
4	3000 x 1500	144	■
5	3000 x 1500	180	■
6	3000 x 1500	216	■
8	3000 x 1500	288	■
10	3000 x 1500	360	■
12	3000 x 1500	432	■

## TÅRPLÅT

TJL MM	FORMAT MM	VIKT KG/ST	EN 1.4301 TÅRMÖNSTER
3+T	2000 x 1000	58	■
	3000 x 1000	87	■
	2500 x 1250	91	■
	3000 x 1250	109	■
5+T	2000 x 1000	88	■
	2500 x 1250	138	■
	3000 x 1250	165	■
	3000 x 1500	198	■

■ = Lagermaterial  
● = Leveranstid ca 1 vecka

## PLATTSTÅNG

DIM	KG/M	EN 1.4301 KLIPPT	EN 1.4301 VALSAD	EN 1.4301 SLIPAD 4 SID.	EN 1.4301 SLIPAD 2 SID.	EN 1.4404 KLIPPT	EN 1.4404 VALSAD	EN 1.4571 KLIPPT	EN 1.4571 VALSAD
10 x 3	0,24	●		●					
x 4	0,31	●							
12 x 3	0,28	●							
15 x 3	0,35	■				■		●	
x 4	0,47	■						●	
x 5	0,59	■	●			●		●	
x 6	0,71	■	●					●	
x 8	0,94		■						●
x 10	1,18		●				●		●
20 x 3	0,47	■	■	●		●		●	
x 4	0,63	■	●	●	■	■		●	
x 5	0,79	■	■	●	■	■		●	
x 6	0,94	■	■	●		■	■	●	
x 8	1,26	●	■	●		●	■	●	●
x 10	1,57	●	■	●	■	●	●	●	●
x 12	1,88		■				■		●
x 15	2,36		●				●		●
25 x 3	0,59	■	●	●		■		●	
x 4	0,79	■	●	●		■		●	
x 5	0,98	■	■	●	■	■		●	
x 6	1,18	■	■	●		■		●	
x 8	1,26	●	■	●		●	■	●	
x 10	1,96	●	■	●			■	●	●
x 12	2,36	●	■				■		●
x 15	2,94		■				■		●
x 20	3,93		●						●
30 x 3	0,71	■	■	●	■	■		●	
x 4	0,94	■	■	●	■	■		●	
x 5	1,18	■	■	●	■	■		●	●
x 6	1,41	■	■	●	■	■		●	●
x 8	1,88	■	■	●	■	■	■	●	●
x 10	2,36	■	■	●	■	■	■	●	●
x 12	2,83	●	■	●			■		●
x 15	3,53	●	■	●			■		●
x 20	4,71		■				■		●
x 25	5,89		●						
35 x 3	0,83	●							
x 4	1,09	■	■					●	
x 5	1,37	■	■	●	■	■		●	
x 6	1,65	■	●	●				●	
x 8	2,20	■	■	●				●	
x 10	2,75	●	■				■	●	
x 12	3,30		●						
x 15	4,12	●	●				●		●
x 20	5,50		●						
x 30	8,24		●						
40 x 3	0,94	■	■	●	■	●		●	
x 4	1,26	■	■	●	■	■		●	
x 5	1,57	■	■	●	■	■	●	●	●
x 6	1,88	■	■	●	■	■	■	●	●
x 8	2,51	■	■	●	■	■	■	●	●
x 10	3,14	■	■	●	■	■	■	●	●
x 12	3,77	●	■	●		●	■	●	●
x 15	4,71	●	■	●			■	●	●

■ = Lagermaterial  
● = Leveranstid ca 1 vecka

Ytterligare dimensioner slipas mot beställning.

## PLATTSTÅNG

DIM	KG/M	EN 1.4301 KLIPPT	EN 1.4301 VALSAD	EN 1.4301 SLIPAD 4 SID.	EN 1.4301 SLIPAD 2 SID.	EN 1.4404 KLIPPT	EN 1.4404 VALSAD	EN 1.4571 KLIPPT	EN 1.4571 VALSAD
40 x 20	6,28		■				■		●
x 25	7,85		■				■		●
x 30	9,42		●				●		●
45 x 5	1,77	■		●		■			
x 6	2,12	●							
x 8	2,83	■						●	
x 10	3,53	■	■			●		●	
x 12	4,24		●						
x 15	5,30		●						
x 20	7,07		●						
x 25	8,83		●						
x 30	10,60		●						
50 x 3	1,18	■						●	
x 4	1,57	■		●	■	●		●	
x 5	1,96	■	■	●	■	■		●	●
x 6	2,36	■	■	●	■	■	●	●	●
x 8	3,14	■	■	●	■	■	■	●	●
x 10	3,93	■	■	●	■	■	■	●	●
x 12	4,71	■	■	●		■	■	●	●
x 15	5,89		■	●			■	●	●
x 20	7,85		■				■		●
x 25	9,81		■				●		●
x 30	11,78		■				●		●
x 35	13,74		●						
x 40	15,70		●						●
55 x 4	1,73	●							
x 5	2,16	●							
x 6	2,59	●							
60 x 3	1,41	●						●	
x 4	1,87	●		●				●	
x 5	2,36	■	●	●	■	■		●	
x 6	2,83	■	■	●		■	●	●	●
x 8	3,77	■	■	●	■	■	■	●	●
x 10	4,71	■	■	●	■	■	●	●	●
x 12	5,65	■	■	●		●	■	●	●
x 15	7,07	■	■	●			■	●	●
x 20	9,42		■				■		●
x 25	11,78		■				●		●
x 30	14,13		■				●		●
x 35	16,49		●						
x 40	18,84		●				●		●
x 50	23,56		●						
65 x 5	2,55	●							
x 8	4,08	●	■						
x 10	5,10	●							
70 x 3	1,65	●						●	
x 4	2,20	●							
x 5	2,75	●	●	●				●	
x 6	3,30	■	■			■		●	
x 8	4,40	■	■			●	■	●	
x 10	5,50	■	■	●		■	●	●	●
x 12	6,59		■				●		●
x 15	8,24		■				●		●
x 20	10,99		■				●		●

■ = Lagermaterial  
● = Leveranstid ca 1 vecka

Ytterligare dimensioner slipas mot beställning.

## PLATTSTÅNG

DIM	KG/M	EN 1.4301 KLIPPT	EN 1.4301 VALSAD	EN 1.4301 SLIPAD 4 SID.	EN 1.4301 SLIPAD 2 SID.	EN 1.4404 KLIPPT	EN 1.4404 VALSAD	EN 1.4571 KLIPPT	EN 1.4571 VALSAD
70 x 25	13,70		■						
x 30	16,49		●				●		●
x 40	21,98		●						
x 50	27,48		●						
x 60	32,97		●						
75 x 5	2,94	■							
x 8	4,71	■							
x 10	5,89	■	■						
x 12	7,07								
80 x 3	1,88	●							
x 4	2,51	●						●	
x 5	3,14	■	●	●				●	
x 6	3,77	■	■	●		■		●	
x 8	5,02	■	■	●		■	■	●	●
x 10	6,28	■	■	●	■	■	■	●	●
x 12	7,54	●	■	●		■	●	●	●
x 15	9,42	■	■				■	●	●
x 20	12,56		■				■		●
x 25	15,70		●						●
x 30	18,84		●				●		●
x 35	21,98		●						
x 40	25,12		●				■		●
x 50	31,40		●						
x 60	37,68		●						
90 x 5	3,53	●							
x 6	4,24	●						●	
x 8	5,56	■	●					●	
x 10	7,07	■	■					●	
x 12	8,48		●						
x 15	10,60		●						
x 20	14,13		●						
100 x 4	3,14	●							
x 5	3,93	■	●	●		●		●	
x 6	4,71	■	■	●		■		●	
x 8	6,28	■	■	●		■	■	●	●
x 10	7,85	■	■	●		■	■	●	●
x 12	9,42	■	■			■	■		●
x 15	11,78	■	■	●			●		●
x 20	15,70		■				■		●
x 25	19,63		●				●		●
x 30	23,55		●				●		●
x 35	27,48		●						
x 40	31,40		●						
x 50	39,26		●						
x 60	47,10		●						
110 x 8	6,91	●							
x 10	8,64	●						●	
x 20	17,27		●						
x 25	21,59		●						
x 30	21,59		●						
120 x 5	4,71	●		●				●	
x 6	5,65	●						●	
x 8	7,54	●	●	●		●		●	
x 10	9,42	●	■	●		●	●	●	●

■ = Lagermaterial  
● = Leveranstid ca 1 vecka

Ytterligare dimensioner slipas mot beställning.

## PLATTSTÅNG

DIM	KG/M	EN 1.4301 KLIPPT	EN 1.4301 VALSAD	EN 1.4301 SLIPAD 4 SID.	EN 1.4301 SLIPAD 2 SID.	EN 1.4404 KLIPPT	EN 1.4404 VALSAD	EN 1.4571 KLIPPT	EN 1.4571 VALSAD
120 x 12	11,30	●	●				●		●
x 15	14,13		●				●	●	●
x 20	18,84		●				●		●
x 25	23,60		●						
x 30	28,26		●						
x 40	37,68		●						
125 x 8	7,85	■							
x 10	9,82	■							
x 12	11,80	■							
130 x 8	8,16	●							
x 10	10,20	●						●	
x 12	12,20	●	●						
x 15	15,30		●						
x 20	20,41		●						
140 x 8	8,79	●						●	
x 10	10,99	●						●	
x 15	16,50	●	●						
x 20	20,41		●						
150 x 5	5,80	●		●					
x 6	7,07	●						●	
x 8	9,42	●				●		●	
x 10	11,78	■	●	●		●	●	●	●
x 12	14,13	■	●					●	●
x 15	17,66	■	●				●		●
x 20	23,60		●				●		●
x 25	29,40		●						
x 30	35,55		●						
x 40	47,10		●						
x 50	58,88		●						
160 x 8	10,05	●							
x 10	12,56	●						●	
x 12	15,07	●							
x 15	18,74	●							
180 x 10	14,13	●						●	
x 12	16,96	●							
x 15	21,20	●							
200 x 5	8,00	●							
x 6	9,60	●							
x 8	12,56	●							
x 10	15,70	●				●		●	
x 12	18,80	●							
x 15	23,43	●							
x 20	31,40	●							
250 x 8	15,70	●							
x 10	19,63	●							
x 15	30,00	●							
300 x 10	24,00	●							
x 15	36,00	●							

■ = Lagermaterial  
● = Leveranstid ca 1 vecka

Ytterligare dimensioner slipas mot beställning.

## KALLDRAGEN PLATTSTÅNG

DIM	KG/M	EN 1.4301 KALLDRAGEN	DIM	KG/M	EN 1.4301 KALLDRAGEN	DIM	KG/M	EN 1.4301 KALLDRAGEN
10 x 3	0,24	●	40 x 10	3,14	●	90 x 15	10,60	●
x 4	0,32	●	x 12	3,77	●	100 x 5	3,93	●
x 5	0,39	●	x 15	4,71	●	x 6	4,71	●
x 6	0,47	●	x 20	6,28	●	x 8	6,28	●
x 8	0,63	●	x 25	7,85	●	x 10	7,85	●
12 x 3	0,28	●	x 30	9,42	●	x 12	9,42	●
x 4	0,30	●	45 x 5	1,77	●	x 15	11,78	●
x 6	0,57	●	x 6	2,12	●	x 20	15,70	●
x 8	0,75	●	x 8	2,83	●	x 25	19,63	●
15 x 3	0,35	●	x 10	3,53	●	x 30	23,55	●
x 4	0,47	●	x 12	4,24	●			
x 5	0,59	●	x 15	5,30	●			
x 6	0,70	●	50 x 4	1,57	●			
x 8	0,94	●	x 5	1,96	●			
x 10	1,18	●	x 6	1,88	●			
20 x 3	0,47	●	x 8	3,14	●			
x 4	0,62	●	x 10	3,93	●			
x 5	0,79	●	x 12	4,71	●			
x 6	0,94	●	x 15	5,89	●			
x 8	1,26	●	x 20	7,85	●			
x 10	1,57	●	x 25	9,81	●			
x 12	1,88	●	x 30	11,78	●			
x 15	2,36	●	x 40	15,70	●			
25 x 3	0,59	●	60 x 4	1,88	●			
x 4	0,79	●	x 5	2,36	●			
x 5	0,98	●	x 6	2,83	●			
x 6	1,18	●	x 8	3,77	●			
x 8	1,57	●	x 10	4,71	●			
x 10	1,96	●	x 12	5,65	●			
x 12	2,36	●	x 15	7,07	●			
x 15	2,94	●	x 20	9,42	●			
x 20	3,93	●	x 25	11,78	●			
30 x 3	0,71	●	x 30	14,13	●			
x 4	0,94	●	x 40	18,84	●			
x 5	1,18	●	x 50	23,56	●			
x 6	1,41	●	70 x 5	2,75	●			
x 8	1,88	●	x 6	3,30	●			
x 10	2,36	●	x 8	4,40	●			
x 12	2,83	●	x 10	5,50	●			
x 15	3,53	●	x 12	6,59	●			
x 20	4,71	●	x 15	8,24	●			
x 25	5,89	●	x 20	10,99	●			
35 x 5	1,37	●	80 x 5	3,14	●			
x 6	1,65	●	x 6	3,77	●			
x 8	2,20	●	x 8	5,02	●			
x 10	2,75	●	x 10	6,28	●			
x 12	3,30	●	x 12	7,54	●			
x 15	4,12	●	x 15	9,42	●			
x 20	5,50	●	x 20	12,56	●			
40 x 3	0,94	●	x 25	15,70	●			
x 4	1,24	●	x 30	18,84	●			
x 5	1,57	●	x 40	25,12	●			
x 6	1,88	●	90 x 10	7,07	●			
x 8	2,51	●	x 12	8,48	●			

■ = Lagermaterial

● = Leveranstid ca 1 vecka

## RUNDSTÅNG

DIM	KG/M	EN 1.4301 DRAGEN/ SLIPAD h9	EN 1.4301 SKAL- SVARVAD	EN 1.4301 SLIPAD h8	EN 1.4305 DRAGEN/ SLIPAD h9	EN 1.4305 SKAL- SVARVAD	EN 1.4404 DRAGEN/ SLIPAD h9	EN 1.4404 SKAL- SVARVAD	EN 1.4571 DRAGEN/ SLIPAD h9	EN 1.4571 SKAL- SVARVAD
rd. 2	0,03	■								
rd. 2,5	0,04	■								
rd. 3	0,06	■			■				●	
rd. 4	0,10	■			■		■		●	
rd. 5	0,15	■			■		■		●	
rd. 6	0,22	■			■		■		●	
rd. 7	0,30	■			■		■		●	
rd. 8	0,39	■			■		■		●	
rd. 9	0,50	■			■					
rd. 10	0,62	■			■		■		●	
rd. 11	0,75	■			■					
rd. 12	0,89	■			■		■		●	
rd. 12,7	0,99	■								
rd. 13	1,04	■			■				●	
rd. 14	1,21	■			■		■		●	
rd. 15	1,39	■			■		■		●	
rd. 16	1,58	■			■		■		●	
rd. 17	1,78				■					
rd. 18	2,00	■	■		■		■		●	
rd. 19	2,23	■			■		■			
rd. 20	2,47	■		■	■		■		●	
rd. 21	2,72	●			●					
rd. 22	2,98	■	■		■		■	■	●	
rd. 23	3,26	●			●					
rd. 24	3,55	■	●		■		■		●	
rd. 25	3,85	■	■	■	■		■	■	●	●
rd. 26	4,17	●	●		■				●	
rd. 27	4,50	●			●				●	
rd. 28	4,83	■	■	■	■	■	●	■	●	
rd. 30	5,55	■	■	■	■	■	■	■	●	●
rd. 32	6,31	■	■	■	■		●	■	●	●
rd. 33	6,71	●			●					
rd. 34	7,13	●			●				●	
rd. 35	7,55	■	■	■	■	■	■	■	●	●
rd. 36	7,99	●			●				●	
rd. 38	8,90	■		■	●	■		■	●	●
rd. 40	9,87	■	■	■	■	■	■	■	●	●
rd. 42	10,88	●	■		●				●	
rd. 45	12,49	■	■	■	■	■	■	■	●	●
rd. 46	13,00				●					
rd. 48	14,21	●			●				●	
rd. 50	15,41	■	■	■	■	■	■	■	●	●
rd. 55	18,65	■	■		■	●	■	■	●	●
rd. 60	22,20	■	■		●	■	■	■	●	●
rd. 65	26,05	■	■		●	●		■	●	●
rd. 70	30,21	■	■		●	■	■	■	●	●
rd. 75	34,58	■	■		●	■		■	●	●
rd. 80	39,46	■	■		●	●	●	■	●	●
rd. 85	44,55	●	■		●	●		■	●	●
rd. 90	49,94	●	■		●	●	●	■	●	●
rd. 95	55,64	●	■			●		■		●
rd. 100	61,65	●	■		●	●	●	■	●	●
rd. 105	68,00		■			●		■		●
rd. 110	75,00		■			●		●		●

■ = Lagermaterial

● = Leveranstid ca 1 vecka

## RUNDSTÅNG

DIM	KG/M	EN 1.4301 DRAGEN/ SLIPAD h9	EN 1.4301 SKAL- SVARVAD	EN 1.4301 SLIPAD h8	EN 1.4305 DRAGEN/ SLIPAD h9	EN 1.4305 SKAL- SVARVAD	EN 1.4404 DRAGEN/ SLIPAD h9	EN 1.4404 SKAL- SVARVAD	EN 1.4571 DRAGEN/ SLIPAD h9	EN 1.4571 SKAL- SVARVAD
rd. 115	82,00		■			●		●		●
rd. 120	89,00		■			●		■		●
rd. 125	96,00		■			●		■		●
rd. 130	104,00		■			●		■		●
rd. 135	112,00		■			●		■		●
rd. 140	121,00		■			●		■		●
rd. 145	129,69		●							
rd. 150	139,00		■			●		■		●
rd. 155	148,00		●							
rd. 160	158,00		■			●		●		●
rd. 165	168,00		●							
rd. 170	178,00		■			●		■		●
rd. 180	200,00		■			●		■		●
rd. 190	223,00		■			●		■		●
rd. 200	247,00		■			●		■		●
rd. 210	272,00		●			●				●
rd. 220	298,00		●			●				●
rd. 230	299,00									●
rd. 240	350,00		●							
rd. 250	385,00		■			●		■		●
rd. 260	410,00									●
rd. 300	555,00		■			●		■		●



## VINKELSTÅNG

DIM	KG/M	EN 1.4301	EN 1.4404	EN 1.4571	EN 1.4301 SLIPAD
15 x 15 x 2	0,47	●			
x 3	0,71	●		●	
20 x 20 x 2	0,63	●			
x 3	0,88	●	●	●	●
x 4	1,14	●			
25 x 25 x 3	1,12	●	●	●	●
x 4	1,45	●		●	
x 5	1,77	●			
30 x 30 x 3	1,36	●	●	●	●
x 4	1,78	●	●	●	●
x 5	2,17	●			
x 6	2,54	●			
35 x 35 x 4	2,10	●	●	●	●
x 5	2,57	●			
40 x 40 x 3	1,88	●			
x 4	2,42	●	●	●	●
x 5	2,97	●	●	●	●
x 6	3,52	●			
45 x 45 x 5	3,34	●		●	
50 x 50 x 3	2,36	●			
x 4	3,07	●			
x 5	3,77	●	●	●	●
x 6	4,40	●		●	
x 8	5,82	●			
x 10	7,06	●			
60 x 60 x 6	5,42	●	●	●	●
x 8	7,09	●			
x 10	8,69	●			
70 x 70 x 7	7,38	●	●	●	
80 x 80 x 6	7,37	●			
x 8	9,66	●	●	●	
x 10	11,90	●			
90 x 90 x 9	12,20	●		●	
100 x 100 x 6	9,28	●			
x 8	12,40	●			
x 10	15,10	●	●	●	
x 12	17,80	●			
x 13	19,40	●			
120 x 120 x 10	18,10	●			
x 13	23,60	●			
130 x 130 x 12	23,80	●			
150 x 150 x 10	22,90	●			
x 13	29,80	●			
200 x 200 x 13	40,20	●			

DIM	KG/M	EN 1.4301 KALLDRAGEN
10 x 10 x 2	0,31	●
15 x 15 x 2	0,47	●
20 x 20 x 2	0,62	●
x 3	0,89	●
25 x 25 x 3	1,12	●
30 x 30 x 3	1,36	●
x 4	1,78	●
40 x 40 x 4	2,42	●
50 x 50 x 5	3,77	●

■ = Lagermaterial  
● = Leveranstid ca 1 vecka

Ytterligare dimensioner slipas mot beställning.

## OLIKSIDIG VINKELSTÅNG

DIM	KG/M	1.4301	1.4571
20 x 10 x 3	0,71	●	●
30 x 20 x 3	1,12	●	●
x 4	1,50	●	●
40 x 20 x 3	1,36	●	
x 4	1,80	■	●
40 x 30 x 5	2,55	●	●
45 x 30 x 5	2,75	●	●
50 x 25 x 4	2,23	●	
50 x 30 x 4	2,43	●	
x 5	2,95	■	●
x 5	3,50	●	●
60 x 30 x 5	3,37	■	●
x 7	4,50	●	
60 x 40 x 5	3,73	■	●
x 6	4,40	●	●
65 x 50 x 5	4,35	●	●
x 7	6,00	●	●
70 x 50 x 6	5,30	●	●
75 x 50 x 7	6,50	●	●
80 x 40 x 6	5,41	■	●
x 8	7,04	●	●
80 x 65 x 6	6,60	●	●
x 8	8,70	●	
80 x 65 x 10	10,70	●	
90 x 60 x 6	6,90	●	●
90 x 75 x 7	8,70	●	
x 9	11,20	●	
100 x 50 x 6	6,80	■	●
x 8	8,99	●	●
x 10	11,10	●	●
100 x 65 x 7	8,77	●	
x 8	9,84	●	●
100 x 75 x 9	11,80	■	●
120 x 80 x 8	12,20	●	●
120 x 80 x 10	14,90	●	●
x 12	17,80	●	
130 x 65 x 8	11,74	●	●
130 x 65 x 10	14,60	●	
130 x 75 x 10	15,50	●	
150 x 75 x 8	13,80	●	
x 10	16,80	●	●
150 x 100 x 10	19,00	●	●
200 x 100 x 12	27,40	●	●

DIM	KG/M	EN 1.4301 KALLDRAGEN
30 x 20 x 4	1,47	●
40 x 20 x 4	1,79	●
45 x 30 x 5	2,79	●
50 x 30 x 5	2,98	●



Ytterligare dimensioner slipas mot beställning.

## FYRKANTSTÅNG

DIM	KG/M	EN 1.4301 KALLDRAGEN	EN 1.4301 VALSAD	EN 1.4301 SLIPAD	EN 1.4305 KALLDRAGEN	EN 1.4404 VALSAD	EN 1.4571 KALLDRAGEN	EN 1.4571 VALSAD
6	0,28	■						
8	0,50	■		●	●		●	
10	0,79	●	■	●	●		●	
12	1,13	●	■	●	●		●	
13	1,34	●						
14	1,54	●					●	
15	1,77	●	■	●	●		●	
16	2,01	●	■					
18	2,54	●						
20	3,14	●	■		●	●	●	●
22	3,80	●					●	
25	4,91	●	■		●	●	●	●
30	7,07	●	■		●	●	●	●
35	9,62	●	■		●		●	
40	12,56	●	■		●	●	●	●
45	15,90	●	●			●		
50	19,63	●	■		●	●	●	●
60	28,26	●	■		●	●	●	●
70	38,50		●					●
75	44,20		●					
80	50,20		●					●
90	63,60		●					
100	78,50		●					●
120	113,00		● Smidd					● Smidd
150	177,00		● Smidd					● Smidd

## SEXKANTSTÅNG

DIM	KG/M	EN 1.4301 KALLDRAGEN	EN 1.4305 KALLDRAGEN	EN 1.4404 KALLDRAGEN	EN 1.4571 KALLDRAGEN
10	0,68	●	●		
13	1,15	●	■		●
14	1,33	●	■	■	●
17	1,97	●	■	■	●
19	2,45	●	■	■	●
22	3,29	●	■	■	●
24	3,92	●	■	■	●
27	4,96	●	■	■	●
30	6,12	●	■	■	●
32	6,96	●	■	■	●
36	8,81	●	■	■	●
41	11,43	●	■	●	●
46	14,39	●	■		●
50	17,00	●	●	●	●
55	20,57	●	●		●
60	24,48	●	●		●
65	28,72	●	●		●

■ = Lagermaterial  
● = Leveranstid ca 1 vecka

## U-STÅNG

	DIMENSION	KG/M	1.4301	1.4571
U 20	20x10x3x3,5	0,86	●	
U 30	30x15x4x4,5	1,78	●	●
	30x33x5x7	4,30	●	●
U 40	40x20x3x3,5	1,80	●	●
	40x20x4x4,5	2,40	●	●
	40x35x5x7	4,80	●	●
U 50	50x25x3x3,5	2,28	●	●
	50x25x5x6	4,20	●	●
	50x38x5x7	5,70	■	●
U 60	60x30x6x6	5,10	■	●
U 65	65x42x5,5x7,5	7,40	■	●
U 80	80x40x5x5	5,94	■	●
	80x40x6x6	7,00	●	
	80x45x6x8	8,64	■	●
U 100	100x50x4x4	6,20	●	
	100x50x5x5	7,65	●	●
	100x50x6x6	8,94	■	●
	100x50x6x8,5	10,60	■	●
U 120	120x55x7x9	13,50	■	●
	120x60x6x6	10,93	■	●
U 130	130x65x6x6	12,08	●	●
U 140	140x60x7x10	16,40	■	●
	140x70x7x7	14,62	●	●
U 150	150x75x6x6	13,80	●	
U 160	160x65x7,5x10,5	18,80	●	
	160x80x8x8	19,21	●	●
U 180	180x70x8x11	22,00	●	
U 200	200x75x8,5x11,5	25,30	●	
	200x100x8x8	24,60	●	
U 220	220x80x9x12,5	29,40	●	
U 300	300x100x10x16	50,90	●	
	300x100x12x16	50,90	●	

## T-STÅNG

	DIMENSION	KG/M	1.4301	1.4571
	20x20x3	0,88	●	
	20x20x4	1,15	●	
	25x25x3	1,13	●	
	25x25x3,5	1,31	●	●
	30x30x3	1,36	●	
	30x30x4	1,77	●	●
	35x35x4	2,10	●	
	40x40x3	1,85	●	
	40x40x4	2,50	■	●
	40x40x5	2,96	●	●
	45x45x5	3,67	●	
	50x50x3	2,30	●	
	50x50x4	3,10	●	
	50x50x5	3,80	■	●
	50x50x6	4,50	●	
	60x60x3	2,80	●	
	60x60x4	3,70	●	
	60x60x5	4,60	●	
	60x60x6	5,50	■	●
	70x70x7	7,30	●	●
	80x80x8	9,70	●	●
	90x90x9	12,50	●	
	100x100x10	15,10	■	●
	120x120x13	23,70		●

## TB-STÅNG

	DIMENSION	KG/M	1.4301	1.4571
	25x50x5,0	2,76	●	
	30x60x5,5	3,70	●	
	35x70x6	4,70	●	
	40x80x7	6,20	●	●
	50x100x8,5	9,50	●	
	60x120x10	13,40	●	

## HEA BALK

	DIMENSION	KG/M	1.4301	1.4571
HEA 100	96x100x5x8	16,7	●	
HEA 120	114x120x5x8	19,9	●	●
HEA 140	133x140x5,5x8,5	24,7	●	
HEA 160	152x160x6x9	30,4	●	
HEA 200	190x200x6,5x10	42,3	●	

## HEB BALK

	DIMENSION	KG/M	1.4301	1.4571
HEB 100	100x100x6x10	20,4	●	●
HEB 120	120x120x6,5x11	26,7	●	●
HEB 140	140x140x7x12	33,7	●	
HEB 160	160x160x8x13	42,6	●	●
HEB 180	180x180x8,5x14	51,2	●	
HEB 200	200x200x9x15	61,3	●	
HEB 220	220x220x9,5x16	71,5	●	
HEB 240	240x240x10x17	83,2	●	

## IPE BALK

	DIMENSION	KG/M	1.4301	1.4571
IPE 80	80x46x3,8x5,2	6,10	●	●
IPE 100	100x55x4,1x5,7	8,10	■	●
IPE 120	120x64x4,4x6,3	10,40	■	●
IPE 140	140x73x4,7x6,9	12,90	●	
IPE 160	160x82x5,0x7,4	15,80	●	
IPE 180	180x91x5,3x8,0	18,80	●	
IPE 200	200x100x5,6x8,5	22,40	●	
IPE 220	220x110x5,9x9,2	25,20	●	
IPE 240	240x120x6,2x9,8	29,40	●	
IPE 270	270x135x6,6x10,2	35,20	●	
IPE 300	300x150x7,1x10,7	41,40	●	
IPE 400	400x180x8,6x13,5	63,60	●	



## KVADRATISKA RÖR

DIM	KG/M	EN 1.4301 OBEH.	EN 1.4301 SLIPADE	EN 1.4404/ 1.4571 OBEH.	DIM	KG/M	EN 1.4301 OBEH.	EN 1.4301 SLIPADE	EN 1.4404/ 1.4571 OBEH.
10 x 10 x 1,0	0,30	●	●		100 x 100 x 3,0	9,54	■	●	■
15 x 15 x 1,0	0,46	■			x 4,0	12,62	■	■	■
x 1,2	0,55	●			x 5,0	15,65	■		■
x 1,5	0,68	■	■	■	x 6,0	18,63	●		●
16 x 16 x 1,0	0,50	●			120 x 120 x 3,0	11,49	■	●	●
x 1,5	0,73	●			x 4,0	15,22	●		●
20 x 20 x 1,0	0,63	●	●		x 5,0	18,91	■		●
x 1,2	0,75	■	■		x 6,0	22,54	●		●
x 1,5	0,92	■	■	■	x 8,0	29,65	●		
x 2,0	1,20	■	■	■	150 x 150 x 3,0	14,42	●		●
25 x 25 x 1,0	0,79	●	●		x 4,0	19,13	●		●
x 1,2	0,94	■	■		x 5,0	23,79	■		●
x 1,5	1,16	■	■	■	x 6,0	28,36	●		●
x 2,0	1,53	■	■	■	x 8,0	37,46	●		
x 2,5	1,88	●			x 10,0	46,32	●		
30 x 30 x 1,0	0,98	●			200 x 200 x 3,0	19,31	●		●
x 1,2	1,14	■	■		x 4,0	25,64	●		●
x 1,5	1,41	■	■	■	x 5,0	31,96	●		●
x 2,0	1,85	■	■	■	x 6,0	38,16	●		
x 2,5	2,29	●			x 8,0	50,48	●		
x 3,0	2,70	■	●	●	x 10,0	61,50	●		
35 x 35 x 1,5	1,65	■	■	■	300 x 300 x 5,0	47,00	●		
x 2,0	2,18	■	■	●					
x 3,0	3,19	●							
40 x 40 x 1,2	1,53	●	●						
x 1,5	1,90	■	■	■					
x 2,0	2,50	■	■	■					
x 2,5	3,10	●							
x 3,0	3,68	■	■	■					
x 4,0	4,81	■	●	■					
45 x 45 x 1,5	2,10	●	●						
x 2,0	2,83	●	●						
50 x 50 x 1,5	2,39	■	■						
x 2,0	3,16	■	■	■					
x 2,5	3,91	●							
x 3,0	4,66	■	●	■					
x 4,0	6,11	■	●	●					
x 5,0	7,51	■		●					
60 x 60 x 1,5	2,87	●							
x 2,0	3,81	■	●	●					
x 2,5	4,88	●							
x 3,0	5,63	■	■	■					
x 4,0	7,41	■	●	●					
x 5,0	9,14	●		●					
70 x 70 x 2,0	4,46	●							
x 3,0	6,61	■							
x 4,0	8,71	■							
x 5,0	10,77	●		●					
80 x 80 x 2,0	5,11	■	●	■					
x 3,0	7,59	■	●	■					
x 4,0	10,02	■	●	■					
x 5,0	12,40	●		●					
x 6,0	14,72	●		●					
100 x 100 x 2,0	6,41	●	●	●					

■ = Lagermaterial  
● = Leveranstid ca 1 vecka

Ytterligare dimensioner slipas mot beställning.

## REKTANGULÄRA RÖR

DIM	KG/M	EN 1.4301 OBEH.	EN 1.4301 SLIPADE	EN 1.4404/ 1.4571 OBEH.	DIM	KG/M	EN 1.4301 OBEH.	EN 1.4301 SLIPADE	EN 1.4404/ 1.4571 OBEH.
20 x 10 x 1,2	0,55	■			80 x 30 x 3,0	5,15	●		
x 1,5	0,68	●	■		x 40 x 1,5	2,81	■		
x 15 x 1,5	0,80	●			x 2,0	3,81	■	■	■
25 x 10 x 1,5	0,80	●			x 3,0	5,63	■	●	■
x 15 x 1,5	0,92	●	●		x 4,0	7,41	●	●	●
30 x 10 x 1,5	0,92	●	●		x 5,0	9,14	●		
x 15 x 1,0	0,71	●			x 50 x 2,0	4,13	●		
x 1,2	0,83	■			x 3,0	6,12	●		
x 1,5	1,04	■	■	■	x 4,0	8,06	●		
x 2,0	1,37	●	●		x 5,0	9,85	●		
x 20 x 1,5	1,16	■	■		x 60 x 2,0	4,56	●		
x 2,0	1,53	●	■	●	x 3,0	6,61	■	●	●
40 x 10 x 1,5	1,16	●			x 4,0	8,71	●		●
x 2,0	1,53	●			x 5,0	10,54	●		
x 15 x 1,5	1,29	●			100 x 20 x 2,0	3,81	●	●	
x 2,0	1,69	●			x 40 x 2,0	4,46	■	●	●
x 20 x 1,2	1,14	●	●		x 3,0	6,61	■	●	●
x 1,5	1,41	■	■	■	x 4,0	9,37	●		●
x 2,0	1,85	■	■	■	x 5,0	11,58	●		
x 3,0	2,65	●			x 50 x 2,0	4,78	■	●	●
x 30 x 1,5	1,65	●	●		x 3,0	7,10	■	■	●
x 2,0	2,18	●	●		x 4,0	9,37	■		●
x 3,0	3,19	●			x 5,0	11,58	■		●
50 x 10 x 1,5	1,41	●			x 6,0	14,65	●		
x 2,0	1,85	●			x 60 x 2,0	5,11	●		
x 20 x 1,5	1,65	●	■		x 3,0	7,59	■	●	●
x 2,0	2,18	●	●	●	x 4,0	10,02	■		●
x 25 x 1,5	1,78	■	■	■	x 5,0	12,40	●		●
x 2,0	2,34	■	■	■	x 80 x 2,0	5,76	●		
x 3,0	3,41	●			x 3,0	8,56	●		●
x 30 x 1,5	1,90	●	●		x 4,0	11,32	●		
x 2,0	2,50	■	■	■	120 x 40 x 2,0	5,11	●		●
x 3,0	3,68	●	●	●	x 3,0	7,59	●		
x 40 x 2,0	2,80	●			x 4,0	9,81	●		
x 3,0	4,17	●			x 60 x 2,0	5,76	●		
60 x 10 x 1,5	1,65	●			x 3,0	8,56	■	●	●
x 2,0	2,18	●			x 4,0	11,32	●		■
x 20 x 1,2	1,53	●			x 5,0	14,02	●		●
x 1,5	1,90	●		●	x 6,0	16,68	●		
x 2,0	2,50	●	●	●	x 80 x 2,0	6,41	●		
x 30 x 1,5	2,14	■	■	●	x 3,0	9,54	■	●	●
x 2,0	2,83	■	■	■	x 4,0	12,62	■		■
x 3,0	4,17	■	●	●	x 5,0	15,65	●		
x 40 x 1,5	2,39	■	●	●	x 6,0	18,63	●		
x 2,0	3,16	■	■	■	140 x 80 x 3,0	10,52	●		
x 2,5	3,91	●			x 4,0	13,92	●		■
x 3,0	4,66	■	●	■	x 5,0	17,29	●		
x 4,0	6,11	■		●	150 x 50 x 2,0	6,41	●		
70 x 40 x 3,0	5,15	●			x 3,0	9,54	●		●
x 4,0	6,76	●			x 4,0	12,62	●		
80 x 10 x 1,5	2,14	●			x 5,0	15,65	●		
x 2,0	2,83	●			x 80 x 3,0	11,30	●		
x 20 x 2,0	3,16	●	●	●	x 100 x 3,0	11,98	●		●
x 30 x 2,0	3,48	●			x 4,0	15,88	■		



Ytterligare dimensioner slipas mot beställning.

## REKTANGULÄRA RÖR

DIM	KG/M	EN 1.4301 OBEH.	EN 1.4301 SLIPADE	EN 1.4404/ 1.4571 OBEH.
150 x 100 x 5,0	19,72	■		●
x 6,0	23,51	●		●
x 8,0	30,95	●		
160 x 80 x 3,0	11,49	●		
x 4,0	15,22	●		
x 5,0	18,91	●		●
200 x 100 x 3,0	14,42	●		●
x 4,0	19,13	●		●
x 5,0	23,79	■		●
x 6,0	28,40	●		●
x 8,0	37,46	●		●
250 x 100 x 3,0	17,09	●		
x 4,0	22,39	●		
x 5,0	27,86	●		●
x 6,0	33,28	●		
x 150 x 3,0	19,53	●		
x 4,0	25,64	●		
x 5,0	30,96	●		●
x 8,0	50,48	●		●
x 10,0	62,60	●		
300 x 100 x 3,0	19,53	●		
x 4,0	25,64	●		
x 5,0	31,93	●		●

■ = Lagermaterial  
● = Leveranstid ca 1 vecka

Ytterligare dimensioner slipas mot beställning.

## SLIPADE/POLERADE RÖR

DIM	KG/M	EN 1.4301 SLIPADE EJ GLÖDGADE	EN 1.4301 POLERADE EJ GLÖDGADE	EN 1.4404 POLERADE GLÖDGADE	DIM	KG/M	EN 1.4301 SLIPADE EJ GLÖDGADE	EN 1.4301 POLERADE EJ GLÖDGADE	EN 1.4404 POLERADE GLÖDGADE
10,0 x 1,0	0,23	●			42,4 x 1,5	1,54	●		
x 1,5	0,32	●			x 2,0	2,02	●	●	●
12,0 x 1,0	0,28	●			x 2,5	2,50	●	●	
x 1,5	0,39	●	●		x 2,6	2,59			
x 2,0	0,50	●			x 3,0	2,96	●		
14,0 x 1,5	0,47	●			x 3,2	3,14	●		
x 2,0	0,60	●			44,5 x 2,0	2,13	●		
15,0 x 1,0	0,35	●			48,3 x 1,5	1,76	●		
x 1,5	0,51	●	●		x 2,0	2,32	●	●	●
x 2,0	0,65	●			x 2,5	2,87	●	●	
16,0 x 1,0	0,38	●			x 2,6	2,98		●	
x 1,5	0,55	●	●	●	x 3,0	3,40			
x 2,0	0,70	●	●		x 3,2	3,61			
17,2 x 1,5	0,59	●			50,0 x 1,5	1,82	●		
x 2,0	0,76	●			x 2,0	2,40	●	●	
18,0 x 1,5	0,62	●	●		50,8 x 1,5	1,85	●	●	●
x 2,0	0,80	●			x 2,0	2,44		●	●
20,0 x 1,0	0,47	●			51,0 x 1,2	1,50			
x 1,2	0,57		●		52,0 x 1,5	1,90	●		
x 1,5	0,70	●	●	●	54,0 x 2,0	2,60	●		
x 2,0	0,90	●	●		60,3 x 1,5	2,21	●		
21,3 x 2,0	0,97	●			x 2,0	2,92	●	●	
x 2,5	1,18	●			x 3,0	4,30	●		
22,0 x 1,5	0,77		●	●	x 4,0	5,64	●		
x 2,0	1,00	●	●	●	70,0 x 1,5	2,57	●		
25,0 x 1,0	0,60	●			x 2,0	3,41	●		
x 1,2	0,72	●	●		76,1 x 2,0	3,71	●		
x 1,5	0,88	●	●	●	x 2,5	4,61	●		
x 2,0	1,15	●	●		x 3,0	5,49	●		
25,4 x 1,5	0,90		●		x 4,0	7,22	●		
26,9 x 1,5	0,95	●			80,0 x 2,0	3,91	●		
x 2,0	1,25	●	●		84,0 x 2,0	4,11	●		
x 2,5	1,53	●			88,9 x 2,0	4,35	●		
28,0 x 1,5	1,00	●	●		x 3,0	6,45	●		
x 2,0	1,30	●			x 4,0	8,50	●		
30,0 x 1,5	1,07	●	●	●	101,6 x 2,0	4,99	●		
x 2,0	1,40	●	●		x 3,0	7,41	●		
x 3,0	2,03	●			x 4,0	9,78	●		
32,0 x 1,2	0,93		●		104,0 x 2,0	5,11	●		
x 1,5	1,15	●	●	●	108,0 x 2,0	5,31	●		
x 2,0	1,50	●	●		114,3 x 2,0	5,62	●		
33,7 x 1,5	1,21	●			x 3,0	8,36	●		
x 2,0	1,59	●	●		129,0 x 2,0	6,36	●		
x 2,5	1,95	●			139,7 x 2,0	6,90	●		
x 3,0	2,31	●			x 3,0	10,27	●		
35,0 x 1,5	1,26	●			x 4,0	13,59	●		
x 2,0	1,65	●	●		154,0 x 2,0	7,61	●		
38,0 x 1,5	1,37	●	●	●	x 3,0	11,34	●		
x 2,0	1,80	●	●	●	168,3 x 2,0	8,33	●		
40,0 x 1,5	1,45	●	●		x 3,0	12,42	●		
x 2,0	1,90	●	●	●	204,0 x 2,0	10,12	●		
x 3,0	2,78	●							



## SVETSDE RÖR

DIM	KG/M	EN 1.4301 HF-SVETS. EJ GLÖDGADE	EN 1.4301 TIG-SVETS. GLÖDGADE	EN 1.4301 TIG-SVETS. EJ GLÖDGADE	EN 1.4404 TIG-SVETS. GLÖDGADE	EN 1.4404 TIG-SVETS. EJ GLÖDGADE
6,0 x 1,0	0,13		■			
8,0 x 1,0	0,18	●	■	●	■	●
x 1,5	0,24	●				
10,0 x 1,0	0,23	●	■	●	■	●
x 1,5	0,32	●	■	●		●
12,0 x 1,0	0,28	●	■		■	●
x 1,5	0,39	●	■			●
x 2,0	0,50	●	●			
13,5 x 2,3	0,60			■		■
14,0 x 1,0	0,33	●	■		■	●
x 1,5	0,47	●	■			
x 2,0	0,60	●				
15,0 x 1,0	0,35	●	●			
x 1,5	0,51	●	■			
x 2,0	0,65	●				
16,0 x 1,0	0,38	●	■			
x 1,25	0,45		■			
x 1,5	0,55	●	■			
x 2,0	0,70	●	■			
17,2 x 1,5	0,59	●				
x 1,6	0,63					●
x 2,0	0,76	●	●			
x 2,3	0,86		■	■		■
x 2,5	0,92	●				
18,0 x 1,0	0,43	●	●			
x 1,5	0,62	●	●	●		
x 2,0	0,80	●				
19,0 x 1,5	0,66		■			
20,0 x 1,0	0,48	●	●			
x 1,2	0,57		■			
x 1,5	0,70	●	■		■	●
x 2,0	0,90	●	■			
x 2,5	1,10	●				
21,3 x 1,5	0,74	●				
x 1,6	0,79			●		●
x 2,0	0,97	●	■		■	●
x 2,5	1,18	●				
x 2,6	1,22		■	■		■
x 3,0	1,37	●				
22,0 x 1,0	0,53	●	■	●		
x 1,2	0,63	●	■			
x 1,5	0,77	●	■	●		
x 2,0	1,00	●	■			
23,0 x 1,5	0,81		■			
25,0 x 1,0	0,60	●				
x 1,2	0,74			■		
x 1,5	0,88	●	■	■		■
x 2,0	1,15	●	■	■		■
x 2,5	1,41	●	●			
x 3,0	1,65	●				
25,4 x 1,2	0,73	●		●		
x 1,5	0,90	●		●		
26,9 x 1,5	0,95	●				
x 1,6	1,01					●

■ = Lagermaterial

● = Leveranstid ca 1 vecka

## SVETSDE RÖR

DIM	KG/M	EN 1.4301 HF-SVETS. EJ GLÖDGADE	EN 1.4301 TIG-SVETS. GLÖDGADE	EN 1.4301 TIG-SVETS. EJ GLÖDGADE	EN 1.4404 TIG-SVETS. GLÖDGADE	EN 1.4404 TIG-SVETS. EJ GLÖDGADE
26,9 x 2,0	1,25	●	●	■		■
x 2,5	1,53	●				
x 2,6	1,58		■	■		■
x 3,0	1,80	●				
28,0 x 1,0	0,68	●				
x 1,5	1,00	●		■		
x 2,0	1,30	●				
30,0 x 1,0	0,73	●		●		
x 1,5	1,07	●	●	■		
x 2,0	1,40	●	●	■		●
x 2,5	1,72	●				
x 3,0	2,03	●				
32,0 x 1,0	0,78	●				
x 1,5	1,15	●	●			
x 2,0	1,50	●	●			
x 3,0	2,18	●				
33,7 x 1,5	1,21	●				
x 1,6	1,29			●		●
x 2,0	1,59	●	●	■		■
x 2,5	1,95	●				
x 2,6	2,02		●	●		●
x 3,0	2,31	●				
x 3,2	2,44	●	■	■		■
x 3,6	2,70					●
x 4,0	3,18	●				
34,0 x 1,0	0,83			●		
35,0 x 1,5	1,26	●		■		
x 2,0	1,65	●				
x 2,5	2,03	●				
38,0 x 1,0	0,93	●				
x 1,2	1,11	●	●			
x 1,5	1,37	●	●			
x 2,0	1,80	●	■	■		
x 2,5	2,22	●				
x 3,0	2,63	●				
40,0 x 1,0	0,98	●		●		●
x 1,5	1,45	●	●	■		●
x 2,0	1,90	●	●	■		●
x 2,5	2,35	●				
x 3,0	2,78	●				
x 4,0	3,78	●				
42,4 x 1,5	1,54	●				
x 1,6	1,63			●		●
x 2,0	2,02	●	●	■		■
x 2,5	2,50	●				
x 2,6	2,59		●	●		●
x 3,0	2,96	●				
x 3,2	3,14	●	■	■		■
x 4,0	3,85	●				
43,0 x 1,5	1,56	●				
44,5 x 1,5	1,62		●	●		
x 2,0	2,13		●	■		●
x 2,6	2,73			●		
45,0 x 1,5	1,63	●				



## SVETSDE RÖR

DIM	KG/M	EN 1.4301 HF-SVETS. EJ GLÖDGADE	EN 1.4301 TIG-SVETS. GLÖDGADE	EN 1.4301 TIG-SVETS. EJ GLÖDGADE	EN 1.4404 TIG-SVETS. GLÖDGADE	EN 1.4404 TIG-SVETS. EJ GLÖDGADE
45,0 x 2,0	2,15	●				
x 2,5	2,66	●				
x 3,0	3,16	●				
48,3 x 1,5	1,76	●				
x 1,6	1,87			■		●
x 2,0	2,32	●	●	■		■
x 2,5	2,87	●				
x 2,6	2,98		●	●		●
x 3,0	3,40	●				
x 3,2	3,61		■	■		■
x 3,6	4,03			●		
x 4,0	4,44	●				
50,0 x 1,0	1,23	●				
x 1,5	1,82	●	●			
x 2,0	2,40	●	●	■		
x 3,0	3,53	●				
50,8 x 1,2	1,49			●		
x 1,5	1,85	●		●		
x 2,0	2,44	●		●		
x 2,5	3,02			●		
51,0 x 1,5	1,86	●		●		
x 2,0	2,45		●	●		
52,0 x 1,0	1,28			●		
x 1,5	1,90			●		●
53,0 x 1,5	1,93	●		●		
54,0 x 2,0	2,60	●		■		■
57,0 x 1,5	2,08			●		
x 2,0	2,75		●	●		
x 3,0	4,06			●		
60,3 x 1,5	2,21	●				
x 1,6	2,35			■		■
x 2,0	2,92	●	●	■		■
x 2,5	3,62	●				
x 2,6	3,76			●		
x 3,0	4,30	●				
x 3,6	5,11		■	■		■
x 4,0	5,64	●				
63,5 x 1,5	2,33	●	●			●
x 2,0	3,08	●				
70,0 x 1,5	2,57	●		●		
x 2,0	3,41	●		●		
x 3,0	5,03	●		●		
76,1 x 1,5	2,80	●				
x 1,6	2,98					●
x 2,0	3,71	●	●	■		■
x 2,5	4,61	●				
x 2,6	4,79			●		●
x 3,0	5,49	●				●
x 3,6	6,54		■	■		■
x 4,0	7,22	●	●			
80,0 x 1,5	2,95			●		
x 2,0	3,91	●	●	●		
x 3,0	5,78	●				
x 4,0	7,61	●				

■ = Lagermaterial

● = Leveranstid ca 1 vecka

## SVETSAD RÖR

DIM	KG/M	EN 1.4301 HF-SVETS. EJ GLÖDGADE	EN 1.4301 TIG-SVETS. GLÖDGADE	EN 1.4301 TIG-SVETS. EJ GLÖDGADE	EN 1.4404 TIG-SVETS. GLÖDGADE	EN 1.4404 TIG-SVETS. EJ GLÖDGADE
84,0 x 2,0	4,11			■		■
85,0 x 2,0	4,16			●		
88,9 x 1,5	3,28			●		
x 1,6	3,50			●		
x 2,0	4,35	●		■		■
x 2,5	5,41	●				
x 2,6	5,62					
x 3,0	6,45	●				●
x 4,0	8,50	●	■	■		●
101,6 x 1,5	3,76	●				
x 2,0	4,99	●				●
x 3,0	7,41	●				
x 4,0	9,78	●				
104,0 x 2,0	5,11	●		■		■
108,0 x 2,0	5,31			●		
x 3,0	7,89			●		
x 4,0	10,42			●		
114,3 x 1,6	4,52					●
x 2,0	5,62	●		■		■
x 2,5	7,00	●				
x 2,6	7,27					
x 3,0	8,36	●		■		●
x 3,6	9,98			●		
x 4,0	11,05	●		■		
129,0 x 2,0	6,36			■		■
133,0 x 2,0	6,56			●		
x 3,0	9,77			●		
x 4,0	12,92			●		
139,7 x 1,6	5,52					●
x 2,0	6,90			●		■
x 3,0	10,27			●		●
x 4,0	13,59			●		
154,0 x 2,0	7,61			■		■
x 3,0	11,34			●		
156,0 x 3,0	11,49			■		
159,0 x 2,0	7,86			●		
x 3,0	11,72			●		
x 4,0	15,52			●		
168,3 x 2,0	8,33			●		■
x 2,5	10,38			●		
x 2,6	10,79					
x 3,0	12,42			●		■
x 4,0	16,46			●		
204,0 x 2,0	10,12			■		■
219,1 x 2,0	10,87			●		■
x 2,9	15,68					●
x 3,0	16,23			●		
x 4,0	21,54			●		
254,0 x 2,0	12,62			■		■
256,0 x 4,0	25,24			●		
273,0 x 2,0	13,57					●
x 3,0	20,28			●		●
304,0 x 2,0	15,12			●		



## MEJERIRÖR

DIM	KG/M	EN 1.4301 GLÖDGADE	EN 1.4301 EJ GLÖDGADE	EN 1.4404 EJ GLÖDGADE
25 x 1,25	0,74	■	■	■
32 x 1,25	0,95	■	■	■
38 x 1,25	1,14	■	■	■
51 x 1,25	1,54	■	■	■
63,5 x 1,6	2,48	■	■	■
76,1 x 1,6	2,98	■	■	■
76 x 2,0	3,66	■	■	■
101,6 x 2,05	5,12	■	■	■

## HYDRAULIKRÖR

DIM	KG/M	EN 1.4301 SÖMLÖSA, GLÖDGADE & BETADE
6 x 1	0,13	■
6 x 1,5	0,17	■
6 x 2	0,2	■
8 x 1	0,2	■
8 x 1,5	0,25	■
8 x 2	0,3	■
10 x 1	0,22	■
10 x 1,5	0,32	■
10 x 2	0,4	■
10 x 2,5	0,47	■
10,2 x 2	0,41	■
12 x 1	0,3	■
12 x 1,5	0,4	■
12 x 2	0,5	■
13 x 1,5	0,4	■
15 x 1,5	0,5	■
15 x 2	0,7	■
16 x 1,5	0,6	■
16 x 2	0,7	■
18 x 1,5	0,61	■
18 x 2	0,8	■
20 x 1,5	0,7	■
20 x 2	0,9	■
22 x 1,5	0,77	■
22 x 2	1	■
25 x 2	1,15	■
25 x 2,5	1,41	■

■ = Lagermaterial

● = Leveranstid ca 1 vecka

Kontaktperson: .....

Direktnummer: .....

.....

.....

Anteckningar:.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

